



U.S. Department
of Transportation
**Research and
Special Programs
Administration**

SEP 14 2000

400 Seventh St., S.W.
Washington, D.C. 20590

DOT-E 9387
(SECOND REVISION)

EXPIRATION DATE: August 31, 2002

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Hub States Corporation
Indianapolis, IN
2. PURPOSE AND LIMITATION:
 - a. This exemption authorizes the transportation in commerce of a certain material described in paragraph 6 below in concentrations and quantities greater than currently authorized in the regulations. This exemption provides no relief from any Hazardous Materials Regulation (HMR) other than as specifically stated herein.
 - b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.334, except as prescribed herein.
5. BASIS: This exemption is based on the application of Hub States Corporation dated April 26, 2000, submitted in accordance with § 107.109.

SEP 14 2000

Continuation DOT-E 9387 (2nd rev.)

Page 2

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Organic phosphate compound mixed with compressed gas	2.3	NA1955	n/a

7. SAFETY CONTROL MEASURES:

- a. PACKAGING - Packaging prescribed is a DOT specification 3B 300 cylinder lined with a material which is impervious to the lading.
- b. The maximum concentration of DDVP authorized in any mixture shipped under this exemption is 40% by weight, and no cylinder may contain more than 30 pounds of DDVP-gas mixture. The total pressure in any cylinder may not exceed 140 psig at 130°F.
- c. The maximum filling density may not exceed 80% of the water capacity of the cylinder.
- d. Each cylinder must be charged in accordance with § 173.301(e) and (f).
- e. No cylinder may be equipped with an education tube or fusible plug.
- f. Each cylinder must be equipped with a strong metal threaded cap which adequately protects the valve from damage.
- g. The cylinders must be packaged in wooden boxes or secured to pallets, or by other equivalent means, so that the cylinders are protected from contact with other cargo and any part of the vehicle other than a securement system installed in the vehicle.
- h. Each cylinder must be inspected at least annually in accordance with CGA Pamphlet C-6.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modifications or changes are made to the package and it is reoffered for transportation in conformance with this exemption and the HMR.

b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.10. MODAL REQUIREMENTS:

a. A current copy of this exemption must be carried aboard each motor vehicle used to transport packages covered by this exemption.

b. Drivers must have been instructed as to necessary safeguards and proper procedure in the event of unusual delay, fire or accident.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:


- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued at Washington, D.C.:



For Robert A. McGuire
Associate Administrator for
Hazardous Materials Safety

SEP 14 2000

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, Washington, DC 20590-0001, Attention: Records Center, 202-366-5046.

PO: AM